



BOTTLE JACKS

Masada hydraulic jacks are light and durable.

- Widely used in various fields such as machinery, construction and Automotive industry.
- o All models have common release stem and valve assemblies, many other parts are also interchangeable from model to model.
- Masada's unique base forging method increases resistance to high pressure and gives a high degree of durability and performance not
 found in any other comparable products. As a result, many automobile manufacturers choose Masada hydraulic jacks as OE for their
 products. Among Masada's clients are Isuzu, Mitsubishi, Fuso, Hino, Nissan Diesel and Mazda, with Mack, Volvo and Western Star using them
 locally.
- The MHB series can be used as low models, extremely useful for buses fitted with air suspension and trucks with low front suspensions.
- All standard and short type Masada jacks are approved to Australian Standards AS/NZS 2693-2007.

TECHNICAL DATA

Model	#	Working Load Limit	Closed Height	Lift	Extension Screw Height	Max. Height	Base Area	Weight
Standard Type	MS-2G	2,000 kg	180 mm	115 mm	50 mm	345 mm	142 mm x 95 mm	2.4 kg
	MS-5YG	5,000 kg	200 mm	120 mm	70 mm	390 mm	142 mm x 95 mm	3.5 kg
	MH-7	7,000 kg	200 mm	120 mm	70 mm	390 mm	151 mm x 90 mm	5.5 kg
	MH-10	10,000 kg	240 mm	150 mm	80 mm	470 mm	166 mm x 106 mm	7.9 kg
	MH-15	15,000 kg	265 mm	165 mm	80 mm	510 mm	180 mm x 118 mm	10.4 kg
	MH-20	20,000 kg	270 mm	160 mm	N/A	430 mm	182 mm x 128 mm	12.2 kg
Industrial Type	MH-30Y	30,000 kg	280 mm	160 mm	N/A	440 mm	192 mm x 142 mm	18.5 kg
	MH-50Y	50,000 kg	305 mm	170 mm	N/A	475 mm	237 mm x 188 mm	37 kg
	MH-100Y	100,000 kg	305 mm	145 mm	N/A	450 mm	318 mm x 265 mm	93 kg
Short Type	MS-2SG	2,000 kg	150 mm	85 mm	50 mm	285 mm	142 mm x 95 mm	2.2 kg
	MHB-10	10,000 kg	170 mm	95 mm	75 mm	340 mm	166 mm x 106 mm	6.4 kg
	MHB-15	15,000 kg	170 mm	90 mm	70 mm	330 mm	180 mm x 118 mm	8 kg
	MHB-20	20,000 kg	180 mm	85 mm	40 mm	305 mm	182 mm x 128 mm	10.2 kg
Industrial	MHB-30Y	30,000 kg	108 mm	80 mm	N/A	260 mm	192 mm x 142 mm	13.9 kg

MS-2G MH-50Y MHB-20 MHB-30Y







